

Region 1 CDA Blood Alcohol Analysis Batch Table


Shimadzu GC-2030 Serial #C1225850700
 Shimadzu HS-20 Serial #C12595700181
 Lab Solutions Software Ver. 5.99
 Copyright (C) 2008-2020 Shimadzu Corporation

Vial#	Sample Name	Sample Type	Level#	Method File
1	MULTI-COMP MIX	0:Unknown	1	ALCOHOL (short).GCM
2	INT STD BLK 1	0:Unknown	0	ALCOHOL (short).GCM
3	QC-1-1-A	0:Unknown	0	ALCOHOL (short).GCM
4	QC-1-1-B	0:Unknown	0	ALCOHOL (short).GCM
5	0.08 QA - A	0:Unknown	0	ALCOHOL (short).GCM
6	0.08 QA - B	0:Unknown	0	ALCOHOL (short).GCM
7	LOT 21803-A-1	0:Unknown	0	ALCOHOL (short).GCM
8	LOT 21803-A-2	0:Unknown	0	ALCOHOL (short).GCM
9	LOT 21803-B-1	0:Unknown	0	ALCOHOL (short).GCM
10	LOT 21803-B-2	0:Unknown	0	ALCOHOL (short).GCM
11	LOT 21107-A-1	0:Unknown	0	ALCOHOL (short).GCM
12	LOT 21107-A-2	0:Unknown	0	ALCOHOL (short).GCM
13	LOT 21107-B-1	0:Unknown	0	ALCOHOL (short).GCM
14	LOT 21107-B-2	0:Unknown	0	ALCOHOL (short).GCM
15	C2021-1168-1-A	0:Unknown	0	ALCOHOL (short).GCM
16	C2021-1168-1-B	0:Unknown	0	ALCOHOL (short).GCM
17	C2021-1288-1-A	0:Unknown	0	ALCOHOL (short).GCM
18	C2021-1288-1-B	0:Unknown	0	ALCOHOL (short).GCM
19	C2021-1335-1-A	0:Unknown	0	ALCOHOL (short).GCM
20	C2021-1335-1-B	0:Unknown	0	ALCOHOL (short).GCM
21	C2021-1343-1-A	0:Unknown	0	ALCOHOL (short).GCM
22	C2021-1343-1-B	0:Unknown	0	ALCOHOL (short).GCM
23	C2021-1363-1-A	0:Unknown	0	ALCOHOL (short).GCM
24	C2021-1363-1-B	0:Unknown	0	ALCOHOL (short).GCM
25	QC-2-1-A	0:Unknown	0	ALCOHOL (short).GCM
26	QC-2-1-B	0:Unknown	0	ALCOHOL (short).GCM
27	INT STD BLK 2	0:Unknown	0	ALCOHOL (short).GCM
28	0.050	0:Unknown	0	ALCOHOL (short).GCM
29	0.100	0:Unknown	0	ALCOHOL (short).GCM
30	0.200	0:Unknown	0	ALCOHOL (short).GCM
31	0.300	0:Unknown	0	ALCOHOL (short).GCM
32	0.500	0:Unknown	0	ALCOHOL (short).GCM
33	INT STD BLK 3	0:Unknown	0	ALCOHOL (short).GCM
34	QC-1-2-A	0:Unknown	0	ALCOHOL (short).GCM
35	QC-1-2-B	0:Unknown	0	ALCOHOL (short).GCM
36	C2021-1365-1-A	0:Unknown	0	ALCOHOL (short).GCM
37	C2021-1365-1-B	0:Unknown	0	ALCOHOL (short).GCM
38	C2021-1370-1-A	0:Unknown	0	ALCOHOL (short).GCM
39	C2021-1370-1-B	0:Unknown	0	ALCOHOL (short).GCM
40	C2021-1385-1-A	0:Unknown	0	ALCOHOL (short).GCM
41	C2021-1385-1-B	0:Unknown	0	ALCOHOL (short).GCM
42	C2021-1391-1-A	0:Unknown	0	ALCOHOL (short).GCM
43	C2021-1391-1-B	0:Unknown	0	ALCOHOL (short).GCM
44	C2021-1420-1-A	0:Unknown	0	ALCOHOL (short).GCM
45	C2021-1420-1-B	0:Unknown	0	ALCOHOL (short).GCM
46	C2021-1422-1-A	0:Unknown	0	ALCOHOL (short).GCM
47	C2021-1422-1-B	0:Unknown	0	ALCOHOL (short).GCM
48	C2021-1425-1-A	0:Unknown	0	ALCOHOL (short).GCM
49	C2021-1425-1-B	0:Unknown	0	ALCOHOL (short).GCM
50	C2021-1435-2-A	0:Unknown	0	ALCOHOL (short).GCM
51	C2021-1435-2-B	0:Unknown	0	ALCOHOL (short).GCM
52	QC-2-2-A	0:Unknown	0	ALCOHOL (short).GCM
53	QC-2-2-B	0:Unknown	0	ALCOHOL (short).GCM
54	INT STD BLK 4	0:Unknown	0	ALCOHOL (short).GCM

Calibration Table


Laboratory : Coeur d' Alene
 Instrument Name : Nexis GC2030
 Instrument Serial # : C12255850700 / C12595700181

<<Data File>>
 Method File :C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Batch File :C:\LabSolutions\Data\6-23-21\MASTER TEMPLATE.gcb
 Date Acquired :6/23/2021 6:08:30 PM
 Date Created :6/23/2021 6:05:08 PM
 Date Modified :6/24/2021 8:47:06 AM




Name : Methanol
 Detector Name: FID1
 Function : $f(x)=0.121346*x+0$
 R^2 value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	15387	1.0000



Name : Ethanol
 Detector Name: FID1
 Function : $f(x)=2.07852*x-0.00125548$
 R^2 value= 0.9998811
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
1	0.050	18904	0.0480
2	0.100	45589	0.1009
3	0.200	91850	0.2028
4	0.300	120968	0.2984
5	0.500	212604	0.4998



Name : Isopropyl Alcohol
 Detector Name: FID1
 Function : $f(x)=0.427299*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

89

#	Conc.	Area	Std. Conc.
6	1.000	54182	1.0000




Name : Acetone
 Detector Name: FID1
 Function : $f(x)=0.751324*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	95269	1.0000



Name : Fluor. Hydrocarbon(s)
 Detector Name: FID1
 Function : $f(x)=0*x+0$
 R² value= 0
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
---	-------	------	------------



Name : Methanol
 Detector Name: FID2
 Function : $f(x)=0.122802*x+0$
 R^2 value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through


99

#	Conc.	Area	Std. Conc.
6	1.000	14736	1.0000




Name : Ethanol
 Detector Name: FID2
 Function : $f(x)=2.08461*x-0.00505228$
 R^2 value= 0.9998473
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
1	0.050	20219	0.0490
2	0.100	48723	0.1007
3	0.200	99171	0.2025
4	0.300	131320	0.2967
5	0.500	231854	0.5008



Name : Acetone
 Detector Name: FID2
 Function : $f(x)=0.762402*x+0$
 R^2 value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	91489	1.0000



Name : Isopropyl Alcohol
 Detector Name: FID2
 Function : $f(x)=0.443317*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

JP

#	Conc.	Area	Std. Conc.
6	1.000	53199	1.0000





Name : Flour. Hydrocarbon(s)
 Detector Name: FID2
 Function : $f(x)=0*x+0$
 R² value= 0
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
---	-------	------	------------

89

Sample Name : 0.500
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:08:30 PM
 Vial # : 32
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.4998	212604	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	204881	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.5008	231854	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	223137	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : 0.300
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:59:01 PM
 Vial # : 31
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2984	120968	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	195430	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2967	131320	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	214043	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : 0.200
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:49:41 PM
 Vial # : 30
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2028	91850	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	218542	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2025	99171	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	237691	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Sample Name : 0.100
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:40:47 PM
 Vial # : 29
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181

89



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1009	45589	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	218644	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1007	48723	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	237633	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : 0.050
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:31:18 PM
 Vial # : 28
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0480	18904	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	191805	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0490	20219	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208040	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : MULTI-COMP MIX
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:21:35 PM
 Vial # : 1
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	0.8174	22580	g/100cc
Ethanol	0.0931	44069	g/100cc
Isopropyl Alcohol	0.8422	81924	g/100cc
Acetone	0.8673	148340	g/100cc
N-Propanol	0.0000	227639	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	0.8138	24580	g/100cc
Ethanol	0.0944	47359	g/100cc
Acetone	0.8700	163144	g/100cc
Isopropyl Alcohol	0.8129	88635	g/100cc
N-Propanol	0.0000	245950	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 3
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:17:24 PM
 Vial # : 33
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	246930	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	272054	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:30:53 PM
 Vial # : 2
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	243254	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	262239	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 4
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 9:31:40 PM
 Vial # : 54
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	247541	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	269696	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:21:57 PM
 Vial # : 27
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	234333	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	254857	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Sample Name : INT STD BLK 1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:30:53 PM
 Vial # : 2
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181

89



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	243254	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	262239	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : 0.08 QA - B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:07:55 PM
 Vial # : 6
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0755	31415	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	201618	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0760	33504	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	218216	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : 0.08 QA - A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:58:59 PM
 Vial # : 5
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0747	31398	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	203683	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0751	33403	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	220223	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : QC-1-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:40:04 PM
 Vial # : 3
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0728	29399	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	195658	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0694	30515	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	218540	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : QC-2-2-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 9:22:22 PM
 Vial # : 53
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2014	89030	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	212923	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2017	96133	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	231129	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-2-2-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 9:13:04 PM
 Vial # : 52
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2008	92483	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	221804	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2014	100066	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	240978	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-2-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:13:04 PM
 Vial # : 26
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1989	91948	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	223087	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1990	98946	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	241417	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-2-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 5:03:34 PM
 Vial # : 25
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1982	87942	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	214051	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1986	94895	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	231944	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Sample Name : QC-1-2-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:36:15 PM
 Vial # : 35
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181

89



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0730	33768	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	222555	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0732	36154	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	243831	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-1-2-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:26:44 PM
 Vial # : 34
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0735	32115	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	210261	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0731	34399	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	232289	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-1-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:49:24 PM
 Vial # : 4
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0694	29095	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	203356	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0698	30944	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	220069	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21107-A-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:54:28 PM
 Vial # : 11
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2342	98569	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	202984	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2332	106679	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	221716	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21803-B-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:44:58 PM
 Vial # : 10
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0946	39247	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	200771	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0941	41839	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	218785	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : LOT 21803-B-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:35:38 PM
 Vial # : 9
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181





FID1

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0941	38900	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	199965	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0936	41564	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	218472	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Sample Name : LOT 21803-A-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:26:46 PM
 Vial # : 8
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0942	39000	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	200360	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0937	41698	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	219046	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : LOT 21803-A-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 2:17:15 PM
 Vial # : 7
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181





FID1

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0911	37968	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	201775	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0910	40546	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	219484	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Sample Name : LOT 21107-B-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:22:11 PM
 Vial # : 14
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2403	102815	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	206323	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2392	111144	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	225130	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21107-B-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:12:41 PM
 Vial # : 13
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2407	103669	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	207707	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2399	111827	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	225886	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : LOT 21107-A-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:03:20 PM
 Vial # : 12
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2402	100584	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	201955	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2395	108708	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	219877	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1168-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:31:05 PM
 Vial # : 15
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2701	119954	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	214126	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2689	129502	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	233126	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1435-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 9:03:45 PM
 Vial # : 51
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	219359	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	0.0260	4750	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	239106	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1435-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:54:50 PM
 Vial # : 50
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	234305	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	0.0254	4960	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	255237	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1425-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:45:20 PM
 Vial # : 49
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	236481	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	257689	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1425-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:36:01 PM
 Vial # : 48
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	244172	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	266099	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1422-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:27:09 PM
 Vial # : 47
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2269	111100	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	235844	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2274	120056	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	255714	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1422-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:17:38 PM
 Vial # : 46
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2246	106462	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	228324	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2250	115308	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	248224	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1420-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 8:08:18 PM
 Vial # : 45
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1999	93529	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	225320	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2003	101113	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	244777	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1420-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:59:25 PM
 Vial # : 44
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1989	93960	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	227481	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1991	101675	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	247674	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1391-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:49:55 PM
 Vial # : 43
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2899	135175	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	224633	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2900	146755	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	244714	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1391-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:40:36 PM
 Vial # : 42
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2989	147773	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	238214	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2996	160260	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	258548	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1385-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:31:42 PM
 Vial # : 41
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1662	78930	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	228740	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1653	84807	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	249378	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1385-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:22:11 PM
 Vial # : 40
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1633	74933	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	220921	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1621	80520	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	241534	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1370-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:12:53 PM
 Vial # : 39
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	223343	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	243710	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1370-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 7:03:59 PM
 Vial # : 38
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	227823	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	248521	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1365-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:54:28 PM
 Vial # : 37
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1337	62574	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	225357	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1328	67161	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	246516	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1365-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 6:45:08 PM
 Vial # : 36
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1331	63150	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	228340	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1319	67807	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	250563	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1363-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:54:15 PM
 Vial # : 24
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	220983	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	239976	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1363-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:45:21 PM
 Vial # : 23
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	219965	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	238270	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : C2021-1343-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:35:50 PM
 Vial # : 22
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2390	110253	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	222475	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2389	119200	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	241720	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1343-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:26:31 PM
 Vial # : 21
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2386	108888	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	220098	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2387	117237	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	237983	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1335-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:17:38 PM
 Vial # : 20
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1507	67861	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	217431	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1501	72728	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	236205	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1335-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 4:08:06 PM
 Vial # : 19
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1526	68489	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	216768	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1518	73380	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	235630	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : C2021-1288-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:58:47 PM
 Vial # : 18
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0746	33192	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	215650	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0746	35260	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	234177	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : C2021-1288-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:49:54 PM
 Vial # : 17
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0742	32779	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	214226	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0741	34897	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	233302	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1168-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 3:40:24 PM
 Vial # : 16
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2724	122125	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	216147	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2721	132054	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	234873	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

Region 1 CDA Blood Alcohol Analysis Batch Table


Shimadzu GC-2030 Serial #C1225850700
 Shimadzu HS-20 Serial #C12595700181
 Lab Solutions Software Ver. 5.99
 Copyright (C) 2008-2020 Shimadzu Corporation

Vial#	Sample Name	Sample Type	Level#	Method File
1	Clean 1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
2	Clean 2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
3	Clean 3	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
4	Clean 4	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
5	Clean 5	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
6	BLK	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
7	MULTI-COMP MIX	0:Unknown	1	ptions\Data\6-23-21\ALCOHOL (sl
8	INT STD BLK 1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
9	QC-1-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
10	QC-1-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
11	0.08 QA - A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
12	0.08 QA - B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
13	LOT 21803-A-1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
14	LOT 21803-A-2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
15	LOT 21803-B-1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
16	LOT 21803-B-2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
17	LOT 21107-A-1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
18	LOT 21107-A-2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
19	LOT 21107-B-1	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
20	LOT 21107-B-2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
21	C2021-1168-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
22	C2021-1168-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
23	C2021-1288-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
24	C2021-1288-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
25	C2021-1335-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
26	C2021-1335-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
27	C2021-1343-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
28	C2021-1343-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
29	C2021-1363-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
30	C2021-1363-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
31	QC-2-1-A	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
32	QC-2-1-B	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl
33	INT STD BLK 2	0:Unknown	0	ptions\Data\6-23-21\ALCOHOL (sl

Calibration Table


Laboratory : Coeur d' Alene
 Instrument Name : Nexis GC2030
 Instrument Serial # : C12255850700 / C12595700181

<<Data File>>
 Method File :C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Batch File :C:\LabSolutions\Data\6-23-21\MASTER TEMPLATE.gcb
 Date Acquired :6/23/2021 6:08:30 PM
 Date Created :6/23/2021 6:05:08 PM
 Date Modified :6/24/2021 8:47:06 AM



Name : Methanol
 Detector Name: FID1
 Function : $f(x)=0.121346*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
6	1.000	15387	1.0000



Name : Ethanol
 Detector Name: FID1
 Function : $f(x)=2.07852*x-0.00125548$
 R² value= 0.9998811
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
1	0.050	18904	0.0480
2	0.100	45589	0.1009
3	0.200	91850	0.2028
4	0.300	120968	0.2984
5	0.500	212604	0.4998

99



Name : Isopropyl Alcohol
 Detector Name: FID1
 Function : $f(x)=0.427299*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	54182	1.0000



Name : Acetone
 Detector Name: FID1
 Function : $f(x)=0.751324*x+0$
 R² value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
6	1.000	95269	1.0000



Name : Fluor. Hydrocarbon(s)
 Detector Name: FID1
 Function : $f(x)=0*x+0$
 R² value= 0
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
---	-------	------	------------

88




Name : Methanol
 Detector Name: FID2
 Function : $f(x)=0.122802*x+0$
 R^2 value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	14736	1.0000



Name : Ethanol
 Detector Name: FID2
 Function : $f(x)=2.08461*x-0.00505228$
 R^2 value= 0.9998473
 FitType: Linear
 ZeroThrough: Not Through


#	Conc.	Area	Std. Conc.
1	0.050	20219	0.0490
2	0.100	48723	0.1007
3	0.200	99171	0.2025
4	0.300	131320	0.2967
5	0.500	231854	0.5008



Name : Acetone
 Detector Name: FID2
 Function : $f(x)=0.762402*x+0$
 R^2 value= 1.000000
 FitType: Linear
 ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
6	1.000	91489	1.0000

89



Name : Isopropyl Alcohol
Detector Name: FID2
Function : $f(x)=0.443317*x+0$
R² value= 1.000000
FitType: Linear
ZeroThrough: Not Through



#	Conc.	Area	Std. Conc.
6	1.000	53199	1.0000



Name : Flour. Hydrocarbon(s)
Detector Name: FID2
Function : $f(x)=0*x+0$
R² value= 0
FitType: Linear
ZeroThrough: Not Through

#	Conc.	Area	Std. Conc.
---	-------	------	------------

Sample Name : MULTI-COMP MIX
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 2:22:56 PM
 Vial # : 7
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	0.8417	19527	g/100cc
Ethanol	0.0950	37536	g/100cc
Isopropyl Alcohol	0.8562	69946	g/100cc
Acetone	0.8946	128502	g/100cc
N-Propanol	0.0000	191167	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	0.8281	21375	g/100cc
Ethanol	0.0955	40782	g/100cc
Acetone	0.8917	142901	g/100cc
Isopropyl Alcohol	0.8202	76427	g/100cc
N-Propanol	0.0000	210189	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 6:23:17 PM
 Vial # : 33
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	206505	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	227706	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : INT STD BLK 1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 2:32:27 PM
 Vial # : 8
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	187106	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	204641	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : INT STD BLK 1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/23/2021 1:30:53 PM
 Vial # : 2
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	243254	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	262239	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : 0.08 QA - B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:09:03 PM
 Vial # : 12
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0764	29743	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188604	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0764	32055	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	207705	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : 0.08 QA - A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:00:10 PM
 Vial # : 11
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0760	29759	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	189763	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0760	32043	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208661	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-1-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 2:41:19 PM
 Vial # : 9
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1862	72784	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188575	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1876	79702	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	206422	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : QC-1-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 2:50:39 PM
 Vial # : 10
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1873	73123	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188428	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1883	79889	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	206153	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : QC-2-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 6:04:41 PM
 Vial # : 31
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0745	31668	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	206176	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0743	34085	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	227396	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : QC-2-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 6:13:58 PM
 Vial # : 32
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0745	33643	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	218861	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0746	36307	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	241034	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21803-B-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:46:04 PM
 Vial # : 16
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0955	36945	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	187266	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0945	39726	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	206923	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21107-A-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:55:35 PM
 Vial # : 17
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2357	92147	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188513	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2329	100290	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208705	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21107-A-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:04:28 PM
 Vial # : 18
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2391	92634	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	186803	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2358	100913	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	207404	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : LOT 21107-B-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:13:48 PM
 Vial # : 19
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2411	94328	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188656	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2385	102669	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208586	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21107-B-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:23:18 PM
 Vial # : 20
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2395	93265	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	187754	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2365	101595	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208126	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21803-A-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:18:21 PM
 Vial # : 13
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0924	35929	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	188264	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0918	38840	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	208425	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : LOT 21803-A-2
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:27:51 PM
 Vial # : 14
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0954	36864	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	186981	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0941	39559	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	206905	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : LOT 21803-B-1
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 3:36:45 PM
 Vial # : 15
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0945	36636	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	187605	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0936	39525	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	207930	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1363-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:55:22 PM
 Vial # : 30
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	210042	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	231421	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1168-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:32:11 PM
 Vial # : 21
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2720	113254	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	200741	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2699	123601	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	221634	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1168-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:41:31 PM
 Vial # : 22
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2750	114585	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	200862	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2728	124850	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	221507	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1288-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:51:00 PM
 Vial # : 23
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0746	31261	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	203005	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0742	33557	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	224220	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1288-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 4:59:54 PM
 Vial # : 24
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0743	31731	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	207141	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.0740	34033	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	227949	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1343-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:27:37 PM
 Vial # : 27
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2389	103519	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	208942	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2381	112699	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	229311	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1343-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:36:57 PM
 Vial # : 28
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2373	103452	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	210188	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.2363	112825	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	231402	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

88

Sample Name : C2021-1335-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:09:13 PM
 Vial # : 25
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1554	65849	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	204538	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1544	71388	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	225199	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

99

Sample Name : C2021-1335-1-B
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:18:44 PM
 Vial # : 26
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1



Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1531	66587	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	209996	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	0.1518	72031	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	231255	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc

89

Sample Name : C2021-1363-1-A
 Laboratory : Coeur d' Alene Lab
 Injection Date : 6/24/2021 5:46:28 PM
 Vial # : 29
 Method Filename : C:\LabSolutions\Data\6-23-21\ALCOHOL (short).GCM
 Instrument #GC/HS : C12255850700 / C12595700181



FID1

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
Acetone	--	--	g/100cc
N-Propanol	0.0000	207592	g/100cc
Fluor. Hydrocarbon(s)	--	--	g/100cc

FID2

Name	Conc.	Area	Unit
Methanol	--	--	g/100cc
Ethanol	--	--	g/100cc
Acetone	--	--	g/100cc
Isopropyl Alcohol	--	--	g/100cc
N-Propanol	0.0000	228463	g/100cc
Flour. Hydrocarbon(s)	--	--	g/100cc