


By Celena Shrum at 11:50 am, Feb 08, 2024

#### Worklist: 6670



			By Cultina 35-rule at 17:30 am, Pels 08, 2006.	
LAB CASE	<u>ITEM</u>	ITEM TYPE	DESCRIPTION	
C2024-0087	1	UCK	AM 27 Urine Cannabinoids Confirmation by LC-QQQ	
C2024-0088	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0092	1	UCK	AM 27 Urine Cannabinoids Confirmation by LC-QQQ	
C2024-0098	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0099	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0122	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0128	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0134	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0141	1	BCK	AM 27 Blood THC Quant by LC-QQQ	
C2024-0164	1	BCK	AM 27 Blood THC Quant by LC-QQQ	





### AM# 27: Quantitation of THC and Metabolites in Blood and Urine by LC-MS/MS

Extraction Date: 2/1/24 Analyst: Anne Nord Plate Retest Date: 6/12/24 Plate lot#: 231212

Mobile phase A: 0.1% Formic Acid in LCMS Water Mobile phase B: 0.1% Formic acid in Acetonitrile

Blank Blood Lot: 23J52629

Blank Urine Lot: 1324 Column: UCT Selectra DA 100 x 2.1mm 3um LCMS-QQQ ID: 69679

#### **Pre-Analytic:**

□ I. Check levels of mobile phases and needle wash refill as needed. Ensure waste is not full.

#### **Analytic:**

☑ 1. Remove standards, plate, controls, and samples from cold storage. Allow to reach room temperature.

- Urine hydrolysis: add 1.5mL urine to blank plate, add 250μl 1N KOH. Shake and incubate at 40 degrees. for 15 minutes. Using a calibrated pipette, add 1000µl blood and urine (if applicable) (calibrated pipette) into the appropriate wells of analytical (standards) plate. Pipette ID: I41142J
- ☑ 3. Place on shaking incubator at ambient temp., 900rpm for 15 minutes.
- Δ 4. Add 500μL of 0.1% formic acid in water to blood samples, and 500μL of saturated phosphate buffer to the samples. urine samples in the wells of the analytical plate.
- ∑ 5. Place on shaking incubator at ambient temp., 900rpm for 15 minutes.
- 🖂 6. Transfer 700-800μL of blood+acid or urine+acid mixture to corresponding wells of SLE+ plate. Amount transferred: 800 µL
- (Load at 85-100 PSI- Selector to the right)
- $\boxtimes$  8. Wait 5 minutes.
- ⊠ 9. Add 2.25mL MTBE. (Add in 3 increments of 750uL)
- $\boxtimes$  10. Wait 5 minutes.
- ☑ 11. Apply positive pressure for approx. 15 seconds. (10-15 PSI- Selector to the left).
- ≥ 12. Add 2.25mL Hexane. (Add in 3 increments of 750uL)
- $\boxtimes$  13. Wait 5 minutes.
- ☑ 14. Apply positive pressure for approx. 15 seconds. (10-15 PSI- Selector to the left).
- ⊠ 16. Reconstitute in 100μL 100% MeOH and heat seal plate with foil. Place in autosampler and run worklist.

#### **Post-Analytic**

- $\boxtimes$  2. Make any necessary integration changes, Curve weighting of Linear 1/x with r<sup>2</sup> values  $\ge$ 0.98 for each analyte
- ⊠ 3. RT +/- 3% or 0.100 min, whichever is greater, +/- 20% Accuracy for greater than (+/- 30% for 10ng/ml or less). Ion ratios must be within +/- 20% of the averaged calibrators
- ☑ 4. Did all QCs pass for each analyte? (if not, describe in comments section)
- Enter QCs into control charting.
- Central File Packet to include: LIMS Worklist, Method Checklist, Calibration and Control Reports

COMMENTS: Mikel Buffaloe hands of the analyst



	1	2	3	4	5	6
а	cal 1	Internal control urine	0141-1			
b	cal 2	negative blood	0164-1			
С	cal 3	0088-1	negative urine			
d	cal 4	0098-1	0087-1			
е	cal 5	0099-1	0092-1			
f	cal 6	0122-1				
g	cal 7	0128-1				
h	Internal control (blood)	0134-1				

Plate position 3

c2024-\_\_\_--



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position**  69679 QC thc quant 50 50.m P3-H1

**Injection Volume** 

Acq. Date-Time 2/2/2024 12:42:47 PM Sample Info.


Sample Operator Comment

**Data File** 

mj internal control blood.d mj internal control blood

Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	41931	443.2	820.41	∞	3015688	4.710 ng/ml
THC-COOH	2.152	75935	365.5	271.09	291091 .5	1152946	13.918 ng/ml
THC	3,603	66062	2983.8	26.96	$\infty$	492125	4.491 ng/ml



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position**  69679 Sample thc quant 50 50.m P3-B2

**Injection Volume** Acq. Date-Time 2/2/2024 12:49:22 PM


Sample Info.


**Data File** Sample

Operator Comment

mj negative blood.d mj negative blood Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of





Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Comment

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument Type Acq. Method Sample Position

**Injection Volume** 


69679 Sample thc quant 50 50.m

P3-C3 10

Acq. Date-Time 2/2/2024 2:41 Sample Info.

10 2/2/2024 2:41:31 PM Data File mj negative urine c3.d mj negative urine c3
Operator Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of the methods.





Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument
Type
Acq. Method
Sample Position

69679 Sample thc quant 50 50.m


P3-A2 10 2/2/2024 3:14:31 PM

Injection Volume Acq. Date-Time Sample Info. Data File
Sample
50 50.m
Operator
Comment

mj internal control urine.d mj internal control urine

Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of the methods.



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.066	47264	282.3	878.80	1873.2	3580781	4.487 ng/ml
THC-COOH	2.137	55703	120.1	318.19	168290 <b>.</b> 8	815662	14.398 ng/ml
THC	3,573	24832	$\infty$	27.61	$\infty$	192126	4.339 ng/ml



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument69679TypeSampleAcq. Methodthc quant 50 50.mSample PositionP3-H1

**Injection Volume** 10 **Acq. Date-Time** 2/2/2024 3:21:07 PM

Sample Info.


Data File Sample Operator Comment end of run blood control blood h1.d end of run blood control blood h1

Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of

the methods

#### **Sample Chromatogram**



Sample did not inject.

\*Reconstituted and reinjected



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument
Type
Acq. Method
Sample Position

69679 Sample thc quant 50 50.m

Sample Position P3-H1
Injection Volume 10
Acq. Date-Time 2/2/2024 4:17:39 PM


Acq. Date-Time Sample Info.

Data File Sample Operator Comment

end of run blood control bloodrr.d end of run blood control bloodrr Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of

the method



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	20065	434.6	858.56	$\infty$	1359087	4.983 ng/ml
THC-COOH	2.152	33826	179.8	286 <b>.44</b>	6147.5	492074	14.487 ng/ml
THC	3.588	41214	8612.4	22.18	76.0	279521	4.892 ng/ml


### **Compound Calibration Report**



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

**Last Cal. Update** 2/5/2024 8:59 AM **Analyst Name** ISP\datastor

Analyte THC Internal Standard THC-d3



Sample	Level	Enabled	Expected Concentration	Final Concentration	Accuracy
mj cal 1	1	<b>~</b>	1.0	1.2	123.9
mj cal 2	2	<b>~</b>	3.0	2.8	94.8
mj cal 3	3	~	5.0	4.6	92.8
mj cal 4	4	<b>~</b>	10.0	9.3	93.4
mj cal 5	5	<b>~</b>	25.0	23.4	93.7
mj cal 6	6	~	50.0	48.8	97.6
mj cal 7	7	~	100.0	103.7	103.7


### Compound Calibration Report



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Last Cal. Update2/5/2024 8:59 AMAnalyst NameISP\datastor

Analyte THC-COOH Internal Standard THC-COOH-d9



Sample	Level	Enabled	Expected Concentration	Final Concentration	Accuracy
mj cal 1	1	~	5.0	5.3	105.0
mj cal 2	2	~	10.0	10.1	100.7
mj cal 3	3	~	20.0	20.2	101.0
mj cal 4	4	~	50.0	45.1	90.3
mj cal 5	5	~	75.0	74.8	99.7
mj cal 6	6	~	100.0	102.5	102.5
mj cal 7	7	~	250.0	252.1	100.8


### Compound Calibration Report



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Last Cal. Update2/5/2024 8:59 AMAnalyst NameISP\datastor

Analyte THC-OH Internal Standard THC-OH-d3



Sample	Level	Enabled	Expected Concentration	Final Concentration	Accuracy
mj cal 1	1	~	1.0	1.2	115.8
mj cal 2	2	~	3.0	2.9	96.4
mj cal 3	3	~	5.0	4.9	97.1
mj cal 4	4	~	10.0	9.1	91.4
mj cal 5	5	~	25.0	24.1	96.4
mj cal 6	6	~	50.0	51.0	102.0
mj cal 7	7	~	100.0	100.8	100.8



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position Injection Volume**  69679 Cal thc quant 50 50.m

P3-A1 2/2/2024 11:56:33 AM


Acq. Date-Time Sample Info.

**Data File** Sample

Operator Comment

mj cal 1.d mj cal 1 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Con	C.
THC-OH	2.081	6708	104.8	799.96	$\infty$	2492417	1.158 ng/ml	Low
THC-COOH	2.167	19955	40.5	274.73	50.3	906619	5.252 ng/ml	
THC	3.603	20276	∞	21.97	443.5	742234	1.239 ng/ml	



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position Injection Volume**  69679 Cal thc quant 50 50.m P3-B1

10 2/2/2024 12:03:17 PM


Acq. Date-Time Sample Info.

**Data File** Sample Operator

Comment

mj cal 2.d mj cal 2 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Con	C.
THC-OH	2.096	20362	549.3	862.86	∞	2493637	2.892 ng/ml	Low
THC-COOH	2.167	43815	31492.0	276.30	42.9	944475	10.070 ng/ml	
THC	3.603	52768	$\infty$	25.88	$\infty$	658711	2.845 ng/ml	



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument
Type
Acq. Method
Sample Position


69679 Cal thc quant 50 50.m P3-C1

Injection Volume 10 Acq. Date-Time 2/2/2024 12:09:53 PM Sample Info.

Data File Sample Operator Comment

mj cal 3.d mj cal 3 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of the methods.



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	34809	∞	856.65	∞	2423267	4.856 ng/ml
THC-COOH	2.152	89241	1542.5	285.26	293102 .0	914099	20.195 ng/ml
THC	3,603	95045	∞	25.89	1786.7	682654	4.642 ng/ml



**Batch results** D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position**  69679 Cal thc quant 50 50.m P3-D1


**Injection Volume** 2/2/2024 12:16:28 PM

Acq. Date-Time Sample Info.

**Data File** Sample Operator Comment

mj cal 4.d mj cal 4 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	71281	586.6	910.31	$\infty$	2556487	9.139 ng/ml
THC-COOH	2.152	223657	258842.2	265.89	381.4	999349	45.130 ng/ml
THC	3,603	177000	∞	24.50	∞	602710	9.339 ng/ml



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin


Calibration Last Update 2/5/2024 8:59:05 AM

Instrument
Type
Acq. Method
Sample Position
Injection Volume


69679 Cal thc quant 50 50.m P3-E1

Injection Volume 10 Acq. Date-Time 2/2/2024 12:23:04 PM Sample Info. Data File Sample Operator Comment mj cal 5.d mj cal 5 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of the methods.



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	197465	2173.4	875.01	$\infty$	2629254	24.099 ng/ml
THC-COOH	2.152	366384	1429.1	270.92	369.9	980427	74.753 ng/ml
THC	3,603	379331	9114.9	25.94	$\infty$	500971	23.435 ng/ml



Batch results D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin


Calibration Last Update 2/5/2024 8:59:05 AM

Instrument
Type
Acq. Method
Sample Position
Injection Volume


69679 Cal thc quant 50 50.m P3-F1

Injection Volume 10 Acq. Date-Time 2/2/2024 12:29:38 PM Sample Info. Data File Sample Operator Comment mj cal 6.d mj cal 6 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	416424	18980.0	835.07	$\infty$	2601828	51.010 ng/ml
THC-COOH	2.152	490279	2585.6	269.59	2395.7	953375	102.530 ng/ml
THC	3,603	824928	22985.6	27.73	$\infty$	518662	48.776 ng/ml



D:\MassHunter\Data\2024\am 27-28\020124\QuantResults\am 27.batch.bin **Batch results** 

Calibration Last Update 2/5/2024 8:59:05 AM

Instrument **Type** Acq. Method **Sample Position**  69679 Cal thc quant 50 50.m


P3-G1 10 2/2/2024 12:36:12 PM

**Injection Volume** Acq. Date-Time Sample Info.

**Data File** Sample Operator Comment

mj cal 7.d mj cal 7 Anne Nord

Only drugs and concentrations listed on the laboratory report itself are appropriate to be used for interpretation purposes. Any drugs or values included in the notes but not included on the report are used by laboratory personnel to make determinations/reach conclusions within the confines of



Name	RT	Resp.	S/N	Ratio	S/N	ISTD Resp.	Final Conc.
THC-OH	2.081	893970	$\infty$	806.42	$\infty$	2816943	100.845 ng/ml
THC-COOH	2.152	1236225	1548.6	266.10	2267.6	972675	252.070 ng/ml
THC	3.603	1403403	22783.2	27.54	$\infty$	413082	103.724 ng/ml